

DP IB Maths: AI HL



Your notes

4.10 Poisson Distribution

Contents

- * 4.10.1 Poisson Distribution
- * 4.10.2 Calculating Poisson Probabilities



Your notes

4.10.1 Poisson Distribution

Properties of Poisson Distribution

What is a Poisson distribution?





- A Poisson distribution is a **discrete probability distribution**
- A **discrete random variable** X follows a **Poisson distribution** if it **counts the number of occurrences** in a fixed time period given the following conditions:
 - Occurrences are **independent**
 - Occurrences occur at a **uniform average rate** for the time period (m)
- If X follows a Poisson distribution then it is denoted $X \sim \text{Po}(m)$
 - m is the average rate of occurrences for the time period
- The formula for the probability of r occurrences is given by:
 - $$P(X = r) = \frac{e^{-m} m^r}{r!} \text{ for } r = 0, 1, 2, \dots$$
 - e is Euler's constant 2.718...
 - $r! = r \times (r - 1) \times \dots \times 2 \times 1$ and $0! = 1$
 - There is no upper bound for the number of occurrences
 - You will be expected to use the distribution function on your GDC to calculate probabilities with the Poisson distribution

What are the important properties of a Poisson distribution?

- The **expected number (mean)** of occurrences is m
 - You are given this in the **formula booklet**
- The **variance** of the number of occurrences is m
 - You are given this in the **formula booklet**
 - Square root to get the **standard deviation**
- The **mean** and **variance** for a Poisson distribution are **equal**
- The distribution can be represented visually using a vertical line graph
 - The graphs have **tails to the right** for all values of m
 - As m gets larger the graph gets **more symmetrical**
- If $X \sim \text{Po}(m)$ and $Y \sim \text{Po}(\lambda)$ are **independent** then $X + Y \sim \text{Po}(m + \lambda)$
 - This extends to n independent Poisson distributions $X_i \sim \text{Po}(m_i)$
 - $X_1 + X_2 + \dots + X_n \sim \text{Po}(m_1 + m_2 + \dots + m_n)$



Your notes



Copyright © Save My Exams. All Rights Reserved

Modelling with Poisson Distribution

How do I set up a Poisson model?

- **Identify** what an **occurrence** is in the scenario
 - For example: a car passing a camera, a machine producing a faulty item
- Use **proportion** to find the **mean number of occurrences** for the given time period
 - For example: 10 cars in 5 minutes would be 120 cars in an hour if the Poisson model works for both time periods
- Make sure you **clearly state** what your **random variable** is
 - For example: let X be the number of cars passing a camera in 10 minutes

What can be modelled using a Poisson distribution?

- Anything that satisfies the **two conditions**
- For example, Let C be the number of calls that a helpline receives within a 15-minute period:
 $C \sim \text{Po}(m)$
 - An occurrence is the helpline receiving a call and can be considered independent
 - The helpline receives calls at an average rate of m calls during a 15-minute period
- Sometimes a **measure of space** will be used instead of a time period
 - For example, the number of daisies that exist on a square metre of grass
- If the **mean** and **variance** of a discrete variable are **equal** then it might be possible to use a Poisson model

Examiner Tip

- An exam question might involve different types of distributions so make it clear which distribution is being used for each variable



Your notes



Your notes

Worked example

Jack uses $Po(6.25)$ to model the number of emails he receives during his hour lunch break.

- a) Write down two assumptions that Jack has made.

Jack has assumed that :

- the emails that he receives are independent
- he receives emails at a uniform average rate of 6.25 emails per hour during his lunch breaks

- b) Calculate the standard deviation for the number of emails that Jack receives during his hour lunch breaks.

Formula booklet

Poisson distribution $X \sim Po(m)$	
Mean	$E(X) = m$
Variance	$Var(X) = m$

$$\sigma^2 = 6.25$$

$$\sigma = \sqrt{6.25}$$

Standard deviation = 2.5 emails



Your notes

4.10.2 Calculating Poisson Probabilities

Calculating Poisson Probabilities

Throughout this section we will use the random variable $X \sim \text{Po}(m)$. For a Poisson distribution X , the probability of X taking a non-integer or negative value is always zero. Therefore, any values mentioned in this section for X will be assumed to be non-negative integers. The value of m can be any real positive value.

How do I calculate $P(X = x)$: the probability of a single value for a Poisson distribution?

- You should have a **GDC** that can calculate **Poisson probabilities**
- You want to use the "**Poisson Probability Distribution**" function
 - This is sometimes shortened to PPD, Poisson PD or Poisson Pdf
- You will need to enter:
 - The 'x' value - the value of x for which you want to find $P(X = x)$
 - The ' λ ' value - the **mean number of occurrences** (m)
- Some calculators will give you the option of **listing the probabilities** for **multiple values of x at once**
- There is a formula that you can use but you are expected to be able to use the distribution function on your GDC

$$P(X = x) = \frac{e^{-m} m^x}{x!}$$

- where e is Euler's constant
- $x! = x \times (x - 1) \times \dots \times 2 \times 1$ and $0! = 1$

How do I calculate $P(a \leq X \leq b)$: the cumulative probabilities for a Poisson distribution?

- You should have a **GDC** that can calculate **cumulative Poisson probabilities**
 - Most calculators will find $P(a \leq X \leq b)$
 - Some calculators can only find $P(X \leq b)$
 - The identities below will help in this case
- You should use the "**Poisson Cumulative Distribution**" function
 - This is sometimes shortened to PCD, Poisson CD or Poisson Cdf
- You will need to enter:
 - The lower value - this is the **value a**
 - This can be zero in the case $P(X \leq b)$
 - The upper value - this is the **value b**
 - This can be a very large number (9999...) in the case $P(X \geq a)$
 - The ' λ ' value - the **mean number of occurrences** (m)

How do I find probabilities if my GDC only calculates $P(X \leq x)$?

- To calculate $P(X \leq x)$ just enter x into the cumulative distribution function



Your notes

- To calculate $P(X < x)$ use:
 - $P(X < x) = P(X \leq x - 1)$ which works when X is a Poisson random variable
 - $P(X < 5) = P(X \leq 4)$

- To calculate $P(X > x)$ use:
 - $P(X > x) = 1 - P(X \leq x)$ which works for any random variable X
 - $P(X > 5) = 1 - P(X \leq 5)$

- To calculate $P(X \geq x)$ use:
 - $P(X \geq x) = 1 - P(X \leq x - 1)$ which works when X is a Poisson random variable
 - $P(X \geq 5) = 1 - P(X \leq 4)$

- To calculate $P(a \leq X \leq b)$ use:
 - $P(a \leq X \leq b) = P(X \leq b) - P(X \leq a - 1)$ which works when X is a Poisson random variable
 - $P(5 \leq X \leq 9) = P(X \leq 9) - P(X \leq 4)$

What if an inequality does not have the equals sign (strict inequality)?

- For a Poisson distribution (as it is discrete) you could **rewrite all strict inequalities** ($<$ and $>$) as **weak inequalities** (\leq and \geq) by using the identities for a Poisson distribution
 - $P(X < x) = P(X \leq x - 1)$ and $P(X > x) = P(X \geq x + 1)$
 - For example: $P(X < 5) = P(X \leq 4)$ and $P(X > 5) = P(X \geq 6)$
- It helps to think about the **range of integers** you want
 - Identify the smallest and biggest integers in the range
- If your range has no minimum then use 0
 - $P(X \leq b) = P(0 \leq X \leq b)$

- $P(a < X \leq b) = P(a + 1 \leq X \leq b)$
 - $P(5 < X \leq 9) = P(6 \leq X \leq 9)$

- $P(a \leq X < b) = P(a \leq X \leq b - 1)$
 - $P(5 \leq X < 9) = P(5 \leq X \leq 8)$

- $P(a < X < b) = P(a + 1 \leq X \leq b - 1)$
 - $P(5 < X < 9) = P(6 \leq X \leq 8)$



Your notes

Worked example

The random variables $X \sim \text{Po}(6.25)$ and $Y \sim \text{Po}(4)$ are independent. Find:

i) $P(X = 5)$,

Use Poisson probability distribution on GDC

$$m = 6.25 \quad (\lambda) \quad x = 5$$

$$P(X = 5) = 0.15341\dots$$

$$P(X = 5) = 0.153 \text{ (3sf)}$$

ii) $P(Y \leq 5)$,

Identify upper and lower bounds

$$P(Y \leq 5) = P(0 \leq Y \leq 5)$$

Use Poisson cumulative distribution on GDC $m = 4 \quad (\lambda)$

$$P(Y \leq 5) = 0.78513\dots$$

$$P(Y \leq 5) = 0.785 \text{ (3sf)}$$

iii) $P(X + Y > 7)$.

Form the distribution $m = 6.25 + 4 = 10.25$

$$X + Y \sim \text{Po}(10.25)$$

Identify lower bound - no upper bound so use a large number 999...

$$P(X + Y > 7) = P(8 \leq X + Y)$$

Use Poisson cumulative distribution on GDC

$$P(8 \leq X + Y) = 0.80146\dots$$

$$P(X + Y > 7) = 0.801 \text{ (3sf)}$$