


Structured Questions

Carbohydrates & Lipids

Properties of Carbon / Macromolecules / Carbohydrates: Definition, Functions & Examples / Role of Glycoproteins / Lipids / Fatty Acids / Phospholipids


Easy (7 questions)	/49
Medium (4 questions)	/26
Hard (3 questions)	/20
Total Marks	/95

Scan here to return to the course
or visit [savemyexams.com](https://www.savemyexams.com)



Easy Questions

1 (a) Identify which of the diagrams below is a lipid, giving **one** reason why.



.....

.....

(2 marks)

(b) Sketch a molecular diagram of D-ribose.

.....

.....




(2 marks)

(c) List, using simplified notation, two of the chemical groups found in a generalised amino acid.

.....

(2 marks)

(d) State, giving one reason, which diagram shows the structure of a saturated fatty acid.



(2 marks)

2 (a) State the type of bond that forms between two sugar molecules in a disaccharide.


(1 mark)

(b) Place these types of carbohydrate into **decreasing** order of molecular size.

- tetrasaccharides
- monosaccharides
- polysaccharides
- disaccharides

(2 marks)

(c) A disaccharide has the formula $C_{12}H_{22}O_{11}$ and is pictured below.



Draw a ring around the chemical group that bonds two monosaccharides together.

(1 mark)

- (d) Glucose, galactose and fructose all have the same molecular formula but differ in their physical and chemical properties.

State the collective name for compounds like these, that have the same molecular formula but different properties.

(1 mark)

3 (a) List **two** properties of starch that make it an effective storage polysaccharide.

.....

.....

(2 marks)

(b) List **two** properties of cellulose that make it an effective structural polysaccharide.

.....

.....

(2 marks)

(c) State the specific type of bond in amylopectin that gives the molecule its highly branched structure.

.....

(1 mark)

(d) Glycogen has an even more branched structure than amylopectin, which makes it ideal as an energy storage molecule in animal cells.

Describe how the branched structure of glycogen helps fulfil its role as a short-term energy storage compound.

.....

.....

(2 marks)


4 (a) Identify the two distinct parts of a typical fatty acid molecule.

.....

.....

(2 marks)

(b) The diagram shows a fatty acid.



(i) Identify the type of fatty acid shown in the diagram.

[1]

(ii) State a reason for your answer in part i).


[1]

.....

.....

(2 marks)

(c) The diagram shows a different fatty acid.



Use a tick (✓) in each table to identify words to describe the structure of the fatty acid shown.

Monounsaturated	Polyunsaturated	Saturated

All Cis	All Trans	Mixture of Cis- and Trans-


(2 marks)

- 5 (a) The low oxygen content of lipids enables them to be more energy-dense forms of energy storage than carbohydrates.

Explain why.

(1 mark)

- (b) The pie chart gives the proportions of the main food groups in the yolk of a typical hen's egg, which serves as a source of nutrition for the growing embryo. This does not include the 'egg white'.



Suggest why the lipids sector of the chart is so much larger than that of carbohydrates.

(1 mark)

- (c) State the type of bond, and the number of those bonds, between fatty acids and a glycerol molecule in a typical triglyceride molecule.

(2 marks)

6 (a) *One mark is available for clarity of communication throughout this question.*

State, with an example in each case, **four** different ways in which lipids are used in nature.

(8 marks)

(b) Draw a labelled molecular diagram of a triglyceride which contains **one** monounsaturated fatty acid.

(4 marks)

7 (a) Define the term hydrophilic.

.....
.....
(1 mark)


(b) State two advantages of a carbon atom being able to form four bonds to neighbouring atoms.

.....
.....
(2 marks)

(c) List **three** carbon compounds upon which living organisms are based.

.....
.....
.....
(3 marks)

(d) State which part of metabolism is occurring at II in the flowchart below.



(1 mark)

Medium Questions

- 1 (a) The table below contains statements that could apply to three polysaccharides. Complete the table with a tick (✓) in each box if the statement applies correctly

Statement	Glycogen	Cellulose	Starch
Contains 1-6 links			
Contains α -glucose			
Contains hydrogen bonds			

.....

.....

.....

(3 marks)

- (b) Explain the name of the type of reaction that forms the carbohydrates in part (a) from their monomers.

.....

.....

(2 marks)

- (c) State **one** feature of starch and explain how this feature allows it to act as a storage substance.

.....

.....

(2 marks)


- (d) Two molecules of a disaccharide are condensed together to form a larger sugar molecule. The chemical formula of the disaccharide is $C_{12}H_{22}O_{11}$.

Deduce the formula of the resulting larger sugar molecule.

(1 mark)

2 (a) Sucrose is formed from monosaccharides **X** and **Y**.

The diagram below shows the structure of sucrose and monosaccharide **Y**.



Draw and identify monosaccharide **X**.

(2 marks)

(b) The monosaccharides fructose and glucose have the same molecular formula, $C_6H_{12}O_6$. However, their differing structures give them different properties; for example, fructose tastes sweeter than glucose.

Suggest one advantage to the food industry of this difference.

(1 mark)

- (c) Molecular analysis was carried out using various laboratory techniques to distinguish between samples of three different polysaccharides. Starch was separated into its constituent polysaccharides (amylose and amylopectin) before analysis. The results are shown in the table below.

Sample	Branches per molecule	Speed of hydrolysis / arbitrary units
A	87	35
B	1467	80
C	1780	98

The three samples were **amylopectin**, **glycogen** and **amylose** (not necessarily in that order).

Use your knowledge of polysaccharide structure to assign each sample to one of those three polysaccharides.

Sample	Polysaccharide
A	
B	
C	

.....

.....

.....

(3 marks)

- (d) Within animal cells, fats are used as a long-term energy storage. A carbohydrate, glycogen, is used as a short-term energy storage molecule as well.

Explain the benefits of having this kind of short-term storage system.


.....

.....

(2 marks)

3 (a) The diagram below shows an incompletely-drawn triglyceride molecule.

Complete the drawing to show a trans-monounsaturated fatty acid chain at position 1 of the glycerol molecule.



(2 marks)

(b) As part of a 50-year study into health and diet, data was gathered in 1960 and 2000 for the numbers of deaths due to cardiovascular disease in a western European country. This data was compared to the percentage of energy provided by trans-fats in the diets of elderly men (aged 70 and above). Some of the research findings are shown below.

Year	Proportion of dietary energy from trans-fats / %	Deaths from cardiovascular disease in that year
1960	7	20 185
2000	1	15 542

Calculate the percentage decrease in numbers of deaths from cardiovascular disease between 1960 and 2000.

.....

.....

(2 marks)

- (c)** Referring to the study described in (b), post-mortem investigations of some patients who had died from cardiovascular disease revealed that fatty deposits in their diseased arteries contained high concentrations of trans-fats.

Explain why this finding, though positively correlated, does not prove causation.

.....

.....

(2 marks)

- 4** Draw a diagram of a section of a molecule of cellulose.

Your drawing should contain no fewer than three monomers joined together.

.....

.....


.....

.....

(4 marks)

Hard Questions

1 (a) The following diagram shows the structure of a polysaccharide found in plant cells.



(i) Identify the polysaccharide pictured in the diagram.

[1]

(ii) Explain your answer at part i).

[1]

(2 marks)

(b) Three molecules of the same monosaccharide are joined in a line into a trisaccharide.

The molecular formula of the monosaccharide is $C_5H_{10}O_5$.

Deduce the formula of the resulting trisaccharide.

(2 marks)

(c) The tetrasaccharide stachyose has the molecular formula $C_{24}H_{42}O_{21}$.

Describe **two** aspects of its molecular formula that identifies stachyose as a carbohydrate.

(2 marks)


(d) A disaccharide has the formula $C_{12}H_{22}O_{11}$

It is made up of two identical monosaccharides.

Deduce the formula of the monosaccharides that form the disaccharide.

(2 marks)

2 The diagram shows a cell with a role in storage.



(i) Identify structures **X**, **Y** and **Z** in this diagram.

[3]

(ii) Suggest which tissue this cell forms part of.

[1]

(4 marks)

3 Compare and contrast the compounds glycogen and starch.

(8 marks)